

MATERIAL SAFETY DATA SHEET

ACCEPTA 2069

Date issued: 01/05/2008

1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

PRODUCT NAME:

ACCEPTA 2069

COMPANY IDENTIFICATION:

ACCEPTA LTD

Statham House, Talbot Road
Manchester M32 0FP
United Kingdom
Tel. : +44 (0) 161 877 2334

EMERGENCY TELEPHONE NUMBER: See section 16, for Emergency Telephone Numbers.

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL DESCRIPTION:

Phosphate, Potassium hydroxide, Organic acid derivative in aqueous solution.

HAZARDOUS INGREDIENTS:

CAS NO.	EINECS NO.	CHEMICAL NAME	WT %	SYMBOL	R-PHRASES
1310-58-3	2151813	Potassium hydroxide	5 - 10	C	22, 35
7320-34-5	2307857	Tetrapotassium pyrophosphate	5 - 10	Xi	36

Refer to section 16 for descriptions of relevant risk phrases and Notas.

3. HAZARDS IDENTIFICATION

This product is classified as dangerous (European Directive 1999/45/EC).

MATERIAL SAFETY DATA SHEET

ACCEPTA 2069

Date issued: 01/05/2008

HUMAN HEALTH HAZARDS - ACUTE:

INHALATION:

Corrosive to respiratory system.

SKIN CONTACT:

Causes severe burns.

EYE CONTACT:

Causes severe burns. May cause permanent damage to eyes.

INGESTION:

Corrosive, causes burns to gastro-intestinal tract. Nausea, vomiting and stomach pain may occur. In severe cases blood may be vomited.

4. FIRST-AID MEASURES

INHALATION:

Obtain medical attention immediately. Remove to fresh air, rest, treat symptomatically.

SKIN CONTACT:

Speed is essential. Remove contaminated clothing. Wash off affected area immediately with plenty of water. If severe burns have occurred and areas of skin are destroyed, cover the burned area with clean dry non fluffy material and obtain medical attention.

EYE CONTACT:

Obtain medical attention immediately. Speed is essential. Immediately gently irrigate with clean water for at least 15 minutes. Move eyeball and keep eyelids wide open and apart whilst irrigating.

INGESTION:

Seek medical advice immediately, showing the label and/or SDS. Rinse mouth immediately and repeatedly with water. **Do not induce vomiting without medical advice.**

ADDITIONAL INFORMATION

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

FIRE AND EXPLOSION HAZARD

Oxides of phosphorus, Oxides of carbon, Oxides of nitrogen (under fire conditions).

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING:

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

MATERIAL SAFETY DATA SHEET

ACCEPTA 2069

Date issued: 01/05/2008

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Do not breathe vapour. Prevent contact with skin, eyes and clothing. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water. Ensure adequate ventilation. Take off immediately all contaminated clothing. Use personal protective equipment recommended in Section 8.

ENVIRONMENTAL PRECAUTIONS:

Do not allow to enter sewers or water courses. If spillage does enter sewers or water courses, immediately inform the appropriate water authorities.

METHODS FOR CLEANING UP:

Small spills: Soak up with inert absorbent material. Clean up promptly by scoop or vacuum.

Large spills: Dam up. Reclaim into recovery or salvage drums.

Wash site of spillage thoroughly with water.

Please refer to Section 13 for disposal considerations.

7. HANDLING AND STORAGE

HANDLING:

Do not breathe vapour. Prevent contact with skin, eyes and clothing. Use with adequate ventilation. Avoid generating aerosols and mists. Use personal protective equipment recommended in Section 8. Avoid use of aluminium zinc and their alloys.

STORAGE CONDITIONS:

Keep container tightly closed and in a well-ventilated place. Store separately from acids. Protect from freezing.

For specific dosages and customized applications please contact your representative.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

NATIONAL REGULATIONS UK

Potassium hydroxide: OES 2 mg/m³ (STEL)

NATIONAL REGULATIONS FRANCE

Potassium hydroxide: VLE 2 mg/m³

NATIONAL REGULATIONS FINLAND

Potassium hydroxide: HTP 2 mg/m³

NATIONAL REGULATIONS NORWAY

Potassium hydroxide: TLV 2 mg/m³ (ceiling)

MATERIAL SAFETY DATA SHEET

ACCEPTA 2069

Date issued: 01/05/2008

NATIONAL REGULATIONS DENMARK

Potassium hydroxide: GV 2 mg/m³ (ceiling)

ENGINEERING MEASURES

Use a closed dosing system. Use general ventilation with local exhaust ventilation.

RESPIRATORY PROTECTION:

An approved respirator must be worn if the occupational exposure limit is likely to be exceeded. Wear a cartridge respirator, filter-type P3.

HAND PROTECTION:

Rubber gloves, PVC gloves. Most glove materials are of low chemical resistance. Replace gloves regularly.

SKIN PROTECTION:

Apron and boots. A full slicker suit is recommended if gross exposure is possible.

EYE PROTECTION:

Chemical splash goggles.

HYGIENE RECOMMENDATIONS:

Keep an eye wash fountain available. Keep a safety shower available. Wash hands during breaks and at end of the shift. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

NOTE: These physical properties are typical values for this product

FORM:	Liquid		
COLOUR:	Colourless		
	VALUE	UNIT	TEST METHOD
RELATIVE DENSITY:	1.12		
SOLUBILITY IN WATER:	Miscible		
pH	14		

Abbreviation: NE = not evaluated, NA = not applicable, NR = not relevant

10. STABILITY AND REACTIVITY

STABILITY:

Stable under ambient conditions.

CONDITIONS TO AVOID:

None known.

MATERIAL SAFETY DATA SHEET

ACCEPTA 2069

Date issued: 01/05/2008

MATERIALS TO AVOID:

Do not mix with Acids. Gives off hydrogen by reaction with metals.

HAZARDOUS DECOMPOSITION PRODUCTS:

Oxides of nitrogen, Oxides of carbon, Oxides of phosphorus, (under fire conditions).

11. TOXICOLOGICAL INFORMATION

Hazard classification is based on 1999/45/EC, 67/548/EEC and available ingredient toxicity data. Please refer to section 3 for hazards identification.

12. ECOLOGICAL INFORMATION

PERSISTENCY AND DEGRADATION:

Chemical Oxygen Demand (COD): 344 mg O₂ uptake / g product
TOC: 25300 mg/l

13. DISPOSAL CONSIDERATIONS

Via authorized contractor. If this product becomes a waste, the final user must define and assign the appropriate European Waste Catalogue code. Ensure compliance with EC, national and local regulations.

NATIONAL REGULATIONS UK

In accordance with the Environmental Protection (Duty of Care) Regulations 1991. Special Waste Regulations 1996 apply.

14. TRANSPORT INFORMATION

Class: 8

Packing group: II
UN 1814

Proper shipping name: POTASSIUM HYDROXIDE SOLUTION

ADR/RID, H.I.n.: 80

C133
20030425

MATERIAL SAFETY DATA SHEET


ACCEPTA 2069

Date issued: 01/05/2008

15. REGULATORY INFORMATION

CLASSIFICATION:

HAZARD SYMBOL: CORROSIVE



C, CORROSIVE

Contains: Potassium hydroxide

RISK PHRASES:

R35 Causes severe burns.

SAFETY PHRASES:

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S28 After contact with skin, wash immediately with plenty of water. S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

NATIONAL REGULATIONS GERMANY

VbF-Klasse: None

WHG-WGK: 2 Classification according VwVwS v. 17.05.99, Anhang 4

TA-Luft: -

Berufsgenossensch. Vorschriften: Take notice of UVV-Chemie

Hinweise zur Beschäftigungsbeschränkung: Observe § 15 of regulations for hazardous substances

NATIONAL REGULATIONS UK

COSHH regulations apply. A precaution card is available and should be displayed wherever this product is used and stored (Ref.C).

MATERIAL SAFETY DATA SHEET

ACCEPTA 2069

Date issued: 01/05/2008

16. OTHER INFORMATION

RELEVANT RISK PHRASES:

R22 Harmful if swallowed. R35 Causes severe burns. R36 Irritating to eyes

REVISED INFORMATION:

Section(s): 13

EMERGENCY TELEPHONE NUMBER +44 (0) 161 877 2334