



Material Safety Data Sheet

Accepta 3552

Date issued: 01-01-2009

1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

Product Name:	ACCEPTA 3552
Application:	Diesel fuel oil conditioner & stabiliser
Company Identification:	Accepta Ltd. Statham House Talbot Road, Old Trafford Manchester M32 0FP United Kingdom
Office telephone number:	+44 (0) 161 877 2334
Office fax number:	+44 (0) 870 135 6389
Emergency Telephone Number:	+44 (0) 161 877 2334

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL DESCRIPTION:

HAZARDOUS INGREDIENTS:

CAS No.:	CONTENT	HEALTH:	RISK:	INGREDIENT NAME:
64742-47-8	70-90 %	Xn, N	51/53, 65	Low Odour Kerosine
94199-84-5	10-30 %	N, C, Xn	51/53, 34, 21/22	Oleic Diamine Oleate

3. HAZARD IDENTIFICATION

HUMAN HEALTH HAZARDS: Causes burns. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

INHALATION: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

INGESTION: Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. Transfer to hospital as soon as possible.

SKIN: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Transfer to hospital for specialist examination.



Material Safety Data Sheet

Accepta 3552

Date issued: 01-01-2009

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use Carbon dioxide (CO₂).

EXPOSURE HAZARD: Corrosive. In combustion emits toxic fumes.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Refer to section 8

ENVIRONMENTAL PRECAUTIONS: Do not discharge into drains or rivers. Contain the spillage using bunding.

METHODS FOR CLEANING UP:

Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

7. HANDLING AND STORAGE

HANDLING: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

STORAGE CONDITIONS: Store in cool, well ventilated area. Keep container tightly closed.

SUITABLE PACKAGING: Must only be kept in original packaging.



Material Safety Data Sheet

Accepta 3552

Date issued: 01-01-2009

8. EXPOSURE CONTROL/PERSONAL PROTECTION

VENTILATION: Ensure there is sufficient ventilation of the area.

PROTECTIVE GLOVES: Protective gloves should be used if there is a risk of direct contact or splash.

EYE PROTECTION: Safety goggles. Eye shield. Ensure eye bath to hand.

OTHER PROTECTION: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. PVC apron covering the tops of the boots. Ensure safety shower to hand.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid.

COLOUR: Colourless

ODOUR/TASTE: Characteristic odour

VISCOSITY: Non-viscous

VISCOSITY TEST METHOD: Flow time in seconds in a 3 mm ISO cup (ISO 2431)

FLASH POINT (°C): >70

10. STABILITY AND REACTIVITY

MATERIALS TO AVOID: Strong acids. Finely powdered metals.



Material Safety Data Sheet

Accepta 3552

Date issued: 01-01-2009

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION


13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local Authority requirements.

14. TRANSPORT INFORMATION

ADR/RID:

UN No: 1760	ADR Class: 8
Packing Group: III	Classification code: C9
Shipping name: CORROSIVE LIQUID, N.O.S.	
Labelling: 8	Hazard ID no: 80



IMDG / IMO

UN no: 1760	Class: 8
Packing group: III	EmS: F-A, S-B
Marine Pollutant: Yes	Labelling: 8

IATA / ICAO

UN no: 1760	Class: 8
Packing group: III	Packing instructions: 818 (P&CA), 820 (CAO)
Labelling: 8	



Material Safety Data Sheet

Accepta 3552

Date issued: 01-01-2009

15. REGULATORY INFORMATION

Hazard symbols: Corrosive. Dangerous for the environment.



RISK PHRASES: R34 Causes burns.
R51-53 Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
R65 Harmful. May cause lung damage if swallowed.
R21-22 Harmful in contact with skin and if swallowed

SAFETY PHRASES: S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28 After contact with skin, wash immediately with plenty of water
S 36-37-39 Wear suitable protective clothing, gloves and eye/face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

NOTE: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Emergency Telephone Number +44 (0) 161 877 2334

Legal disclaimer: The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.