

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415**EMERGENCY TELEPHONE NUMBER(S)**

See section 16, for Emergency Telephone Numbers.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : **ACCEPTA 8415**

APPLICATION : WATER CLARIFICATION AID

COMPANY IDENTIFICATION : ACCEPTA LTD
Statham House
Talbot Road, Manchester M32 0FP

EMERGENCY TELEPHONE NUMBER(S) : See section 16, for Emergency Telephone Numbers.

Date issued : 08.04.2008
Version Number : 5.0

COMPANY CONTACT TELEPHONE NUMBERS.0161 877 2334

For Product Safety information please contact info@accepta.com

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION :

This product is not classified as dangerous in accordance with Directives 67/548/EEC or 1999/45/EC.

Accepta Limited,
Statham House, Talbot Road, Manchester M32 0FP
0161 877 2334

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415

EMERGENCY TELEPHONE NUMBER(S)

See section 16, for Emergency Telephone Numbers.

HUMAN HEALTH HAZARDS - ACUTE :

INHALATION :

May cause irritation of mucous membranes.

SKIN CONTACT :

Can cause mild irritation.

EYE CONTACT :

Can cause mild irritation.

INGESTION :

May cause mucosal damage.

PHYSICAL AND CHEMICAL HAZARDS :

Spills of this product are very slippery.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is not classified as dangerous in accordance with Directives 67/548/EEC or 1999/45/EC.

4. FIRST AID MEASURES

INHALATION :

Remove to fresh air, treat symptomatically. If symptoms develop, seek medical advice.

SKIN CONTACT :

Remove contaminated clothing. Wash off affected area immediately with soap and plenty of water. If skin irritation persists, obtain medical attention.

EYE CONTACT :

Flush affected area with water. Get medical attention.

INGESTION :

Get medical attention. Do not induce vomiting without medical advice. If conscious, washout mouth and give water to drink. If reflexive vomiting occurs, rinse mouth and repeat administration of water.

NOTE TO PHYSICIAN :

Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.

5. FIRE FIGHTING MEASURES

FLASH POINT : > 100 °C

EXTINGUISHING MEDIA :

Not expected to burn. Use extinguishing media appropriate for surrounding fire.

FIRE AND EXPLOSION HAZARD :

May evolve oxides of carbon (COx) under fire conditions. May evolve oxides of nitrogen (NOx) under fire conditions. May evolve HCl under fire conditions. May evolve oxides of sulfur (SOx) under fire conditions. Spills of this product are very slippery.

Accepta Ltd Statham House, Talbot Road, Manchester M32 0FP

Tel: 0161 877 2334 Fax:0870 135 6389

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415

EMERGENCY TELEPHONE NUMBER(S)

See section 16, for Emergency Telephone Numbers.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING :

In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS :

Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Ventilate spill area if possible.

METHODS FOR CLEANING UP :

Soak up as thoroughly as possible with inert absorbent material or sawdust, as the addition of water causes slippery floor conditions. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

ENVIRONMENTAL PRECAUTIONS :

Prevent material from entering sewers or waterways. If drains, streams, soil or sewers become contaminated, notify local authority.

7. HANDLING AND STORAGE

HANDLING :

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Do not breathe vapors/gases/dust. Keep the containers closed when not in use. Ensure all containers are labeled. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Have emergency equipment (for fires, spills, leaks, etc.) readily available.

STORAGE CONDITIONS :

Protect product from freezing. Store in suitable labeled containers. Store the containers tightly closed. Store separately from bases. Store away from heat and sources of ignition. Storage temperature <35°C.

SUITABLE CONSTRUCTION MATERIAL :

Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.

SPECIFIC USE(S) :

WATER CLARIFICATION AID

For specific dosages and customized applications please contact your representative.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

This product does not contain any substance that has an established exposure limit.

ENGINEERING MEASURES :

Use general ventilation with local exhaust ventilation.

PERSONAL PROTECTION

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415

EMERGENCY TELEPHONE NUMBER(S)

See section 16, for Emergency Telephone Numbers.

GENERAL ADVICE :

The use and choice of personal protection equipment is related to the hazard of the product, the workplace and the way the product is handled. In general, we recommend as a minimum precaution that safety glasses with side-shields and workclothes protecting arms, legs and body be used. In addition any person visiting an area where this product is handled should at least wear safety glasses with side-shields. The applicable European standard can be found in EN 166.

RESPIRATORY PROTECTION :

An approved respirator must be worn if the occupational exposure limit is likely to be exceeded. If significant mists, vapors or aerosols are generated an approved respirator is recommended. A suitable filter material depends on the amount and type of chemicals being handled. Consider the use of filter type: Organic vapor / Acid gas cartridge. The applicable European standard can be found in EN 140, EN 137, EN 143 and EN 14387. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

HAND PROTECTION :

When handling this product, the use of chemical gloves is recommended. Rubber gloves Most glove materials are of low chemical resistance. Replace gloves regularly. Breakthrough time not determined as preparation, consult PPE manufacturers. The applicable European standard can be found in EN 374.

SKIN PROTECTION :

Wear standard protective clothing. The applicable European standard can be found in EN ISO 20345.

EYE PROTECTION :

When handling this product, the use of safety glasses with side shields is recommended. The applicable European standard can be found in EN 166.

HYGIENE RECOMMENDATIONS :

Use good work and personal hygiene practices to avoid exposure. Consider the provision in the work area of a safety shower and eyewash. Always wash thoroughly after handling chemicals. When handling this product never eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
APPEARANCE	Clear Light yellow
FLASH POINT :	> 100 °C
SOLUBILITY IN WATER	Miscible
pH (100 %)	2 - 2.5
FREEZING POINT	-3 °C

Note: These physical properties are typical values for this product and are subject to change.

10. STABILITY AND REACTIVITY

STABILITY :

Stable under normal conditions.

Accepta Ltd Statham House, Talbot Road, Manchester M32 0FP

Tel: 0161 877 2334 Fax:0870 135 6389

MATERIAL SAFETY DATA SHEET**PRODUCT****ACCEPTA 8415****EMERGENCY TELEPHONE NUMBER(S)**See section 16, for Emergency Telephone Numbers.

HAZARDOUS POLYMERIZATION :
Hazardous polymerization will not occur.

CONDITIONS TO AVOID :
Avoid extremes of temperature.

MATERIALS TO AVOID :
Bases, Contact with strong alkalis (e.g. ammonia and its solutions, carbonates, sodium hydroxide (caustic), potassium hydroxide, calcium hydroxide (lime), cyanide, sulfide, hypochlorites, chlorites) may generate heat, splattering or boiling and toxic vapors., Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

HAZARDOUS DECOMPOSITION PRODUCTS :
Under fire conditions: Oxides of nitrogen, HCl, Oxides of carbon

11. TOXICOLOGICAL INFORMATION

No toxicity studies have been conducted on this product.

SENSITIZATION :
This product is not expected to be a sensitizer.

For additional information on the hazard of the preparation, please consult section 2 and 12.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL EFFECTS :

No toxicity studies have been conducted on this product.

PERSISTENCY AND DEGRADATION :

The polymer in this product is poorly biodegradable. However, it is rapidly eliminated from the aquatic environment by adsorption onto organic particulate matter and sediment.

BIOACCUMULATION POTENTIAL
The product will not bioaccumulate.

13. DISPOSAL CONSIDERATIONS

If this preparation becomes a waste, the final user must define and assign the appropriate European Waste Catalogue code. Use only authorized contractors. Ensure compliance with EC, national and local regulations.

Dispose of wastes in an approved incinerator or waste treatment/disposal site, in accordance with all applicable regulations. Do not dispose of wastes in local sewer or with normal garbage. This product is ashless and can be burned directly in appropriate equipment. Any chemical waste is a potential environmental pollutant and is NOT suitable for disposal via ground, municipal sewers, drains, natural streams or rivers.

Empty drums should be taken for recycling, recovery, or disposal through a suitably qualified or licensed contractor.

Accepta Ltd Statham House, Talbot Road, Manchester M32 0FP
Tel: 0161 877 2334 Fax:0870 135 6389

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415

EMERGENCY TELEPHONE NUMBER(S)

See section 16, for Emergency Telephone Numbers.

EUROPE WASTE CODE :

16 03 04 - OFF SPECIFICATION BATCHES AND UNUSED PRODUCTS - Inorganic wastes other than those mentioned in 16 03 03. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code.

NATIONAL REGULATIONS POLAND :

Waste Code: Regulations of 27 September 2001, Waste catalogue, J. of Laws No. 112, item 1206

Do not dispose into a local sewage system or with normal household waste. Do not dispose into municipal drains, sewers, soil, natural streams or rivers. The waste product should be disposed of at an authorised incineration plant or a waste treatment/disposal plant in line with the existing regulations (Act of 27 April 2001 on Waste, consolidated text annexed to the J. of Laws No. 39, item 251 of 2007). The product incineration produces ash. The product may be incinerated directly using suitable equipment.

Reclamation, recycling and disposal of packaging waste should comply with the existing regulations (Act of 11 May 2001 on Packaging and Packaging Waste, J. of Laws No. 63, item 638, as amended).

Use the services of appropriately authorised businesses.

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper Shipping Name / Hazard Class may vary by packaging, properties, and mode of transportation. Typical Proper Shipping Names for this product are as follows.

LAND TRANSPORT

Proper Shipping Name :

PRODUCT IS NOT REGULATED DURING TRANSPORTATION

AIR TRANSPORT (ICAO/IATA)

Proper Shipping Name :

PRODUCT IS NOT REGULATED DURING TRANSPORTATION

MARINE TRANSPORT (IMDG/IMO)

Proper Shipping Name :

PRODUCT IS NOT REGULATED DURING TRANSPORTATION

15. REGULATORY INFORMATION

CLASSIFICATION AND LABELLING :

This preparation is not regulated, however, we recommend the following safety precautions:

SAFETY PHRASES

S24/25 - Avoid contact with skin and eyes.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

NATIONAL REGULATIONS GERMANY

WGK 1 (Annex 4)

Accepta Ltd Statham House, Talbot Road, Manchester M32 0FP

Tel: 0161 877 2334 Fax:0870 135 6389

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415

EMERGENCY TELEPHONE NUMBER(S)

See section 16, for Emergency Telephone Numbers.

NATIONAL REGULATIONS POLAND

Act of 11 January 2001 on Chemical Substances and Preparations (J. of Laws No. 11, item 84, J. of Laws No. 100, item 1085, J. of Laws No. 123, item 1350 and J. of Laws No. 125, item 1367 and of 2002 J. of Laws No. 135, item 1145 and No. 142, item 1187; of 2003 J. of Laws No. 189, item 1852; of 2004 J. of Laws No. 96, item 959 and J. of Laws No. 121, item 1263; of 2005 J. of Laws No. 179, item 1485; of 2006 J. of Laws No. 171, item 1225)

Regulation of the Minister of Health of 28 September 2005 on the List of Hazardous Substances with Classification and Labelling (J. of Laws, No. 201, item 1674)

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Corrigendum, OJ L 136 of 29.5.2007)

Regulation of the Minister of Health of 3 July 2002 on Material Safety Data Sheets (J. of Laws No. 140, item 1171; of 2005 J. of Laws No. 2, item 8)

Regulation of the Minister of Health of 2 September 2003 on Criteria and Methods for Classification of Chemical Substances and Preparations (J. of Laws No. 171, item 1666; of 2004 J. of Laws No. 243, item 2440; of 2007 J. of Laws No. 174, item 1222)

Regulation of the Minister of Health of 2 September 2003 on Package Labelling of Hazardous Substances and Hazardous Preparations (J. of Laws No. 173, item 1679; of 2004 J. of Laws No. 260, item 2595)

Regulation of the Minister of Labour and Social Policy of 29 November 2002 on Workplace Concentration and Exposure Limits Applicable to Health Hazards (J. of Laws No. 217, item. 1833; of 2005 J. of Laws No. 212, item 1769; of 2007 J. of Laws No. 161, item 1142)

Regulation of the Minister Health of 20 April 2005 on Tests and Measurements of Workplace Health Hazards (J. of Laws No. 73, item. 645)

Regulation of the Minister of Economy of 21 December 2005 on Fundamental Requirements for Personal Protection Equipment (J. of Laws No. 259, item 2173)

Regulation of the Minister of Labour and Social Policy of 26 September 1997 on General Health and Safety Provisions (consolidated text of 2003 J. of Laws No. 169, item 1650; of 2007 J. of Laws No. 49, item 330)

Regulation of the Minister of Health of 30 December 2004 on Health and Safety Related to Exposure to Chemical Factors at Workplace (J. of Laws No. 11, item 86 of 2005)

INTERNATIONAL CHEMICAL CONTROL LAWS EUROPE

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

Accepta is committed to and fully supports the Registration, Evaluation, Authorization and restriction of CHemicals (REACH) regulation. It is our intention to pre-register all chemical substances that we manufacture or import into European Union and to work with our suppliers to ensure a smooth transition to this new regulatory environment. Should you require any further information on Accepta's REACH programme please contact us at info@accepta.com or visit our website.

UNITED STATES :

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

Accepta Ltd Statham House, Talbot Road, Manchester M32 0FP

Tel: 0161 877 2334 Fax:0870 135 6389

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415

EMERGENCY TELEPHONE NUMBER(S)

See section 16, for Emergency Telephone Numbers.

CANADA :

The substances in this preparation are listed on the Domestic Substances List (DSL), are exempt, or have been reported in accordance with the New Substances Notification Regulations.

JAPAN

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Ministry of International Trade & industry List (MITI).

16. OTHER INFORMATION

LIST OF RELEVANT R-PHRASES AND NOTAS IN SECTION 3

- REVISED INFORMATION: section(s):

- 2, 3, 15, 16

- 4

- 5

- 8

- 11

- 12

- 13

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to insure safe workplace operations. Please consult your local sales representative for any further information.

EMERGENCY TELEPHONE NUMBER(S) 0161 877 2334

Accepta Ltd Statham House, Talbot Road, Manchester M32 0FP

Tel: 0161 877 2334 Fax:0870 135 6389

MATERIAL SAFETY DATA SHEET

PRODUCT

ACCEPTA 8415

EMERGENCY TELEPHONE NUMBER(S)

See section 16, for Emergency Telephone Numbers.

Date issued : 08.04.2008

Version Number : 5.0

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

Accepta Ltd Statham House, Talbot Road, Manchester M32 0FP

Tel: 0161 877 2334 Fax:0870 135 6389
